

# WHITE ADJUSTABLE FIXTURES Wall Brackets





Style 1F

Style 3F

#### STYLE 1F BRACKET

This bracket as illustrated is made for attaching to wall where wiring is open. Total extension 36 inches.

List No.	Description	Price Each
NO.	Description	Lacu
1F ·	Bracket as shown, less shade socket and wiring. Standard finishes	<b>\$</b> 9.00
1 F	Fitted with base (F.O.) for 4 inch outlet box	11.50
iF	Fitted with base (F.P.) for attaching to 3/4 inch pipe	9.50
**	1 total with base (1.2.) for according to /8 mon pipe	0.00

## STYLE 3F BRACKET

This bracket is made for attaching to woodwork or plastering where wiring is concealed. Base plate is 4½ inches in diameter, with insulated bushing for cord. Total extension 36 inches.



Style 7F



Style 8F

## STYLE 7F BRACKET-

This bracket has adjustable joints at wall and lamp, but does not telescope. Extension 16 inches.

•	·	*List
List	•	Price
No.	Description	Each
7 <b>F</b>	Bracket as shown, less shade, socket and wiring. Standard finishes	<b>\$</b> 6.50
7 <b>F</b>	Fitted with base (F.O.) for 4 inch outlet box	9.00
7 <b>F</b>	Fitted with base (F.P.) for attaching to 3/8 inch pipe	7.00

## STYLE 8F BRACKET

This bracket is telescoping and universally adjustable. Length: Closed 15 inches; fully extended 24 inches.

8F	Bracket as shown, less shade, socket and wiring. Standard finishes	<b>\$7</b> .50
8 <b>F</b>	Fitted with base (F.O.) for 4 inch outlet box	10.00
8F	Fitted with base (F.P.) for attaching to 3/8 inch pipe	8.00

## STYLE 9F BRACKET

Same as style 8F, but with longer extension. Length: Closed 20 inches; fully extended 34 inches.


9F	Bracket, less shade, socket and wiring. Standard finishes	\$8.50
9 <b>F</b>	Fitted with base (F.O.) for 4 inch outlet box	11.00
9F	Fitted with base (F.P.) for attaching to 3/8 inch pipe	9.00

Note: Standard finishes on the above fixtures are old brass, oxidized copper, polished brass or nickel. For special finishes add 10%.

\*Delivery F. O. B. Factory, Worcester, Mass. For warehouse deliveries write nearest house.

## Western Electric

# WHITE ADJUSTABLE FIXTURES Factory Ceiling Pendants



Style AW Style AC STYLE A PENDANT

Universally adjustable at base, cone-joint and wrist-joint. Wiring through lamp arm only. Prices are for black finish and do not include shade, socket or wiring.

	Le	ngth	*List (	i	Lei	*List	
List	Main Arm	Lamp Arm	Price	List	Main Arm	Lamp Arm	Price
No.	Feet	Feet	Each	No.	Feet	Feet	Each
420105	3	2	\$4.00	420115	8	3	<b>\$</b> 6.60
420106	31/2	2	4.20	420116	81/2	3	6.80
420107	4	$2\frac{1}{2}$	4.50	420117	9	3	7.00
420108	41/2	$2\frac{1}{2}$	4.70	420118	91/2	3	7.20
420109	5	$2\frac{1}{2}$	4.90	420119	10	3	7.40
420110	51/2	$2\frac{1}{2}$	5.10	420120	101/2	3	7.60
420111	6	21/2	5.30	420121	11	31/2	8.20
420112	61/2	$2\frac{1}{2}$	5.50	420122	111/2	$3\overline{1}\overline{2}$	8.40
420113	7 -	$2\frac{1}{2}$	5.70	420123	12	$3\frac{1}{2}$	8.60
420114	71/2	$2\overline{1/2}$	5.90	l			

STYLE AW PENDANT

	Similar t	о Туре А	, but adapted for	wiring throug	h both mair	arm and lamp arn	n. Black f	inish.
4201	.24	3	<b>2</b>	<b>\$</b> 4.90	420134	8	3	\$7.60
4201	.25	31/2	2	5.10	420135	81/2	3	7.80
4201	.26	4	$2\frac{1}{2}$	5.40	420136	9	3	8.00
4201	.27	41/2	21/2	5.60	420137	$9\frac{1}{2}$	3	8.20
4201	.28	5	$2\frac{1}{2}$	5.80	420138	10	3	8.40
4201	.29	51/2	$2\frac{1}{2}$	6.00	420139	$10\frac{1}{2}$	3	8.60
4201	30	6	21/2	6.20	420140	11	3	8.80
4201	31	61⁄2	$2\frac{1}{2}$	6.40	420141	111/2	3	9.00
4201	32	7	21/2	6.60	420142	12	3	9.20
4201	33	$7\frac{1}{2}$	$2\frac{1}{2}$	6.80 ll		_		

STYLE AC PENDANT

	Similar to Type AW,	but adapted for	attachment over outlet	box in conduit in	stallations.	Black finish.
4201	43 3	2	\$5.50    420148	$5\frac{1}{2}$	21/2	<b>\$</b> 6.60
4201	44 3½	2	5.70   420149	6	$2\frac{1}{2}$	6.80
4201	45 4	$2\frac{1}{2}$	6.00    420150	$6\frac{1}{2}$	$\begin{array}{c} 2\frac{1}{2} \\ 2\frac{1}{2} \end{array}$	7.00
4201	46 4½	21/2	6.20   420151	7	21/2	7.20
4201	47 5	$2\frac{1}{2}$	6.40   420152	71/2	21/2	7.40

STYLE AR PENDANT
Similar to Type AW, but adapted for use with cleat and molding wiring. Black finish

Cimilar	W IJPC IIII, N	a uaupica ioi	and with diems and more	····· . · · · · · · · · · · · · · · · ·	DIOCE HIMIL.	
420153	3	${f 2}$	<b>\$</b> 4.80    420158	$5\frac{1}{2}$	21/2	<b>\$</b> 5.90
420154	31/2	2	5.00   420159	6	21/2	6.10
420155	4	$2\frac{1}{2}$	5.30    <b>4</b> 20160	$6\frac{1}{2}$	21/2	6.30
<b>420156</b>	41/2	21/2	5.50    420161	7	21/2 21/2	6.50
420157	5	$2\frac{1}{2}$	5.70    420162	71/2	21/2	6.70

Note: Black finish sent unless otherwise ordered, on all factory fixtures, but they can be furnished in any finish desired for use in hospitals, offices, etc. Prices in finishes other than black on request.

\*Delivery F. O. B. Factory, Worcester, Mass.

Lighting Fixtures and Accessories

\*\*Real Pixtures\*\*

\*\*Real P

## WHITE ADJUSTABLE FIXTURES

## Factory Ceiling Pendants





## STYLE IXK PENDANT

This style of pendant has full range of movement in every direction, and is especially designed for use over drafting tables and in stock and packing rooms where the principal adjustments are on a vertical plane. The middle arm gives the fixture range over a great area. Cord runs through all three arms insuring perfect protection. The disk joint is fitted with a powerful compensating spring which nicely balances the whole. Prices are for black finish only, and do not include shades, sockets or wiring.

Length					Length——						
	Height of	Main	Middle	Lamp	*List		Height of	Main	Middle	Lamp	*List
List	Room	Arm	Arm	Arm	Price	List	Room	Arm	Arm	Arm	Price
No.	Feet	Feet	Feet	Feet	Each	No.	Feet	Feet	Feet	Feet	Each
420042	8	1	11/2	2	\$6.00	420049	111/2	41/2	21/2	3	\$8.00
420043	81/2	11/2	11/2	2	6.20	420050	12	5	3 -	31/2	9.20
420044	9	2	2	$2\frac{1}{2}$	6.70	420051	121/2	51/2	3	$3\frac{1}{2}$	9.40
420045	91⁄2	21/2	2	$\frac{2\frac{1}{2}}{2\frac{1}{2}}$	6.90	420052	13	6	3	31/2	9.60
420046	10	3	2	21/2	7.10	420053	131/2	61/2	3	31/2	9.80
420047	101/2	31/2	21/2	3	7.60	420054	14	7	3	31/2	10.00
420048	11	4	21/2	3	7.80	1				_	

#### STYLE IXKK PENDANT


This pendant is similar to Style 1XK, except that it has two lights.

Length					Length—						
List	Height of	Main	Middle	Lamp	*List Price	List	Height of Room	Main	Middle	Lamp	*List
No.	Room Feet	Arm Feet	Arm Feet	Arm Feet	Each	No.	Feet	Arm Feet	Arm Feet	Arm Feet	Price Each
420055 420056	8 8½	1	$\frac{11}{2}$	2 2	\$12.20 12.40	420062 420063	$\frac{11\frac{1}{2}}{12}$	41/2	21/2	3 21∠	\$14.40 16.00
420057	9	11/2	$\frac{11}{2}$	21/2	13.00	420064	121/2	5 5⅓	3	3½ 3½	16.30
420058 420059	91⁄2 10	$\frac{21}{3}$	2 2	$\frac{2\frac{1}{2}}{2\frac{1}{2}}$	13.20 13.40	420065 420066	13 13½	6 6⅓	3 3	$\frac{3\frac{1}{2}}{3\frac{1}{2}}$	16.60 16.70
420060	101/2	31/2	21/2	3	14.00	420067	14	7	3	31/2	19.20
420061	- 11	4	21/2	3	14.20	1					

Note: Black finish sent unless otherwise ordered, on all factory fixtures, but they can be furnished in any finish desired for use in hospitals, offices, etc. Prices in finishes other than black on request.

\*Delivery F. O. B. Factory, Worcester, Mass. For warehouse deliveries write nearest house.





STYLE C WALL FIXTURE
This wall fixture is made for extensions up to 8 feet. The ball and socket joint at the base is seated in a cone bearing so that the fixture can be swung through more than 180 degrees, as well as up and down, thus securing wide range. Prices cover black finish only, and do not include shade, socket or wiring.

	Le	ngth	*List		*List		
List	Main Arm	Lamp Arm	Price	List	Main Arm	Lamp Arm	Price
No.	Feet	Feet	Each	No.	Feet	Feet	Each
420068	21/2	21/2	\$4.50	420071	4	3	<b>\$</b> 5.20
420069	3	3	4.80	420072	41/2	3	5.40
420070	31/2	3	5.00	420073	5	3	5.60

STYLE B WALL FIXTURE

This fixture is a light form for use over benches, desks, etc. It has a ball-and-socket base-joint, cone, and wrist-joint, giving considerable range of adjustability. Prices cover black finish only, and do not include shade, socket or wiring.

420074	11/2	11/2	<b>\$</b> 3.40    420077	3	21/2	<b>\$4.20</b>
420075	2	11/2	3.60   420078	31/2	$2\frac{1}{2}$	4.40
420076	21/2	2	3.90   420079	4	21/2	4.60



STYLE G WALL FIXTURE

This fixture is made for extensions up to 14 feet. It is designed to secure extra strength of base joint and has a very wide range of adjustment. Both upper and lower arms are insulated through their entire length, thus affording protection to the cord.

Ο,	Length		*List		Length		*List
List	Main Arm	Lamp Arm	Price	List	Main Arm	Lamp Arm	Price
No.	Feet	Feet	Each	No.	Feet	Feet	Each
420080	11/2	11/2	\$5.00	420088	5	3	<b>\$6</b> .80
420081	2	2	5.30	420089	51/2	3	7.00
420082	21/2	2	5.50	420090	6	3	7.20
420083	$2\frac{1}{2}$	21/2	5.70	420091	61/2	3	7.40
420084	3	3	6.00	420092	7	3	8.00
420085	31/2	3	6.20	420093	71/2	3	8.20
420086	4	3	6.40	420094	8	3	8.40
420087	434	3	6.60	420095	81⁄2	3	8.60

STYLE H WALL FIXTURE


This fixture permits the upper arm to be turned up or down to a vertical position parallel to the wall. The fixture can be folded up against the wall from any position and at any angle.

420096	11/2	11/2	\$5.30 jř <b>420</b> 101	31/2	3	<b>\$</b> 6.60
420097	2	2	5.60   420102	4	3	6.80
420098	21/2 21/2	<b>2</b>	5.80   420103	41/2	3	7.00
420099	21/2	21/2	6.10   420104	5	3	7.20
420100	3 -	3 -	6.40			

Note: Black finish sent unless otherwise ordered, on all factory fixtures, but they can be furnished in any finish desired for use in hospitals, offices, etc. Prices in finishes other than black, on request.

## WHITE ADJUSTABLE FIXTURES Factory Bench Type





Style 1D


STYLE 1D BENCH FIXTURE

This fixture is for direct attachment to work bench. Can be furnished with base for side attachment instead of regular base. Wires through lamp arm only. Height 24 inches, spread 25 inches.

List		Price
No.	Description	Each
1D	Fixture as shown, less shade, socket and wiring. Plain black finish	<b>\$</b> 4.60

## STYLE 3D BENCH FIXTURE

This fixture is much heavier in construction than the No. 1D, and is thoroughly insulated for wiring through the upright as well as the lamp arm. Height 24 inches, spread 26 inches. 3D Fixture as shown, less shade, socket and wiring. Plain black finish...



Style 4D STYLE 4D BENCH FIXTURE

This fixture is arranged for clamping on bench or lathe. Clamp is adjustable for receiving thicknesses varying from one to four inches. It is quickly and easily adjusted. The fixture is firm and rigid and will stand the most severe usage. Regular size has 24 inch upright, 8 inch crank arm and 18 inch lamp arm.

List List Price No. Description Each 4D Fixture as shown, less shade, socket and wiring. Black finish.... \$6.30


STYLE 1DD BENCH FIXTURE

This style of fixture is exceptionally convenient and useful where the work is spread over a considerable area on a bench or large desk. The regular size of the fixture has a 28 inch upright, 7 inch crank arms and 18 inch lamp arms.

1DD Fixture as shown, less shade, socket and wiring. Black finish...... NOTE: Black finish sent unless otherwise ordered, on all factory fixtures, but they can be furnished in any finish desired for use in hospitals, offices, etc. Prices in finishes other than black, on request.

\*Delivery F. O. B. Factory, Worcester, Mass. For warehouse deliveries write nearest house.

## WHITE FACTORY ADJUSTABLE FIXTURES




STYLE 3P FLOOR PORTABLE

This floor portable is designed especially to meet the requirements of surgeons, dentists oculists and the like. List No. \*List Price Description 3P

Portable as shown, less shade, socket and wiring, regular finish, black japanned base and ..... \$14.00 upright, nickel arms..... 3P 18.00 3P 18.00

This floor portable is very heavily constructed to withstand the roughest handling in machine shops, mills, automobile repair shops and garages. Prices cover black finish only, and do not include shade, socket or wiring.

SP Portable. Height of upright 51/2 feet, length of lamp arm 21/2 feet...... SP Portable wired complete with key socket, 25 ft. of heavy reinforced cord and separable plug. 13.50



## STYLE 1E FLOOR STANDARD

This fixture is designed for use where it is necessary to lead wires from the floor to the lamp. The fixture is very rigid and strong and will withstand the severest usage. It is especially adapted for use in shops having extremely high ceilings. Prices cover black finish only, and do not include shade, socket or wiring. -Tenoth-

List No.	Upright Arm—Feet	Crank Arm—Feet	Lamp Arm—Feet	*List Price
420166	41/2	10	11/2	\$6.40
420167	5	10	11/2	<b>6</b> .70
420168	51/2	10	2	7.10
420169	6	10	2	7.40
420170	61/2	10	$2\frac{1}{2}$	7.80

#### STYLE 1EE FLOOR STANDARD an an Stula IV but with two lights

Dame	an print it, but	with two my	II US.	
420171	41/2	7	11/2	\$12.00
420172	5	7	$1\frac{1}{2}$	12.30
420173	$5\frac{1}{2}$	7	2	12.80
420174	6	7	2	13.10
420175	$6\frac{1}{2}$	7	21/2	13.60
		_		

Note: Black finish sent unless otherwise ordered, on all factory fixtures, but they can be furnished in any finish desired for use in hospitals, offices, etc. Prices in finishes other than black, on request.

\*Delivery F. O. B. Factory, Worcester, Mass. warehouse deliveries write nearest house.

Style 1EE